

BIDITUP™ LIVE ON-SITE
AUCTIONS & APPRAISALS WORLDWIDE & WEBCAST

AUCTION

Wednesday, September 26, 2007
Beginning at 10:00 A.M. EDT
109 McNeill Road
Sanford, North Carolina 27330 USA



Bankruptcy Case #07-80352

AMERICAN PERFORMANCE INDUSTRIES, INC.

LARGE CAPACITY MACHINING & FABRICATING FACILITY
REAL ESTATE TO BE AUCTIONED AT 12:00 P.M. — 196,032 SQ. FT. ON 12.7 ACRES



88 Ton Amada CNC Press Brake



71 Ton Hurco/Mebusa CNC Press Brakes



22 Ton Wiedemann Centrum 2500 CNC Turret Punch



Daewoo Puma 250B CNC Turning Center

- ▶ REAL ESTATE
- ▶ CNC PRESS BRAKES
- ▶ CNC TURNING CENTERS
- ▶ CNC CHUCKERS
- ▶ CNC TURRET PUNCHES
- ▶ CNC VERTICAL MACHINING CENTERS
- ▶ FIVE STAGE POWDER COAT PAINT SYSTEM
- ▶ MECHANICAL PRESS BRAKE
- ▶ POWER SQUARING SHEARS
- ▶ GAP FRAME & OPEN BACK INCLINABLE PRESSES
- ▶ TUBE BENDER
- ▶ PLATE BENDING ROLL
- ▶ FABRICATOR
- ▶ ROLLFORMERS
- ▶ HYDRAULIC PRESSES
- ▶ CUTOFF SAWS
- ▶ ENGINE LATHES
- ▶ SURFACE GRINDERS/ CENTERLESS GRINDER/ TOOL & CUTTER GRINDERS
- ▶ SCREW MACHINES
- ▶ TOOL ROOM
- ▶ WELDING
- ▶ ROLLING STOCK
- ▶ TRANSFORMERS
- ▶ INSPECTION
- ▶ COMPRESSORS
- ▶ PALLET RACKING
- ▶ TOOLING
- ▶ VEHICLES
- ▶ MISCELLANEOUS
- ▶ OFFICE EQUIPMENT

REAL ESTATE, CNC PRESS BRAKES



REAL ESTATE

Offered at 12:00 P.M. – 196,032 sq. ft. on 12.7 Acres, 30,000 sq. ft. total office, (5) loading docks, steel construction, sprinkled, Zoned light industrial, Subject to 24 hour approval by owner.



88 Ton Amada CNC Press Brake



71 Ton Hurco/Mebusa CNC Press Brakes



71 Ton Hurco/Mebusa CNC Press Brake (Single View)



150 Ton Haco CNC Press Brake

CNC PRESS BRAKES

1995 – 88 Ton Amada, MDL. FBD-8025E, Up-acting, Table 98"4", Bending Length 98.6" Max, Distance Between Uprights 86.6", Throat 15.75", Stroke 3.94", Open height 14.57", Amada NC9-EXII CNC Control, Serial #08500831

(2) 2001 – 71 Ton Hurco/Mebusa, MDL. PH65-25, Up-acting, Bending Length 98 5/8" Max, Distance Between Uprights 85 1/4", Throat 16", Stroke 3.94", Open height 11.81", Hurco Autobend 7 Back Gauge, Hurco Serial #HDRF0035031A & HDRF0002120A, Brake Serial #5306 & #5305

1999 – 150 Ton Haco, MDL. PPES 150-10, Down-acting, Bending Length 122", Distance Between Uprights 102", Throat 9.8", Open height 15.7", Stroke 7.8", Robosoft BC40 CNC Control, Manual crowning in table, Serial #80471

Large Inventory of Amada, Hurco, & Haco Press Brake Tooling; Unitool Punches

TO SCHEDULE AN AUCTION OR APPRAISAL, CALL (818) 508-7034

CNC TURNING CENTERS, CNC CHUCKERS, CNC TURRET PUNCHES, CNC VERTICAL MACHINING CENTERS



Daewoo Puma 250B CNC Turning Center



Daewoo Puma 250B CNC Turning Center



22 Ton Wiedemann Centrum 2500 CNC Turret Punch



Hardinge Cobra 42 CNC Chuckler



Haas #VF2 & Haas #VF1 Vertical Machining Centers

CNC TURNING CENTERS

(3) 1999 – Daewoo Puma, MDL. 250B, Built 1998/Installed 1999, Swing over bed 22.4", Bar capacity 3", Machining diameter 15.75" max, Work length 25.6" max, Spindle speed 35–3,500, Fanuc 18-T Control, 10" 3 Jaw chuck, 12 Station Turret, Programmable tailstock, Turbo Chip Conveyor, Absolute Pulse Code, Serial #PM250 423, #PM250 424 & #PM250 427

(4) LNS Hydrobar Bar Feeds, Capacity 2 5/8" diameter



22 Ton Wiedemann C-2000-I CNC Turret Punch



22 Ton Wiedemann Centrum 2000/Q CNC Turret Punch

CNC CHUCKERS

(2) 1998 – Hardinge Cobra 42, Swing 21" max, Bar capacity 1 5/8", Machining diameter 8.25" max, Work length 14" max, Spindle speed 5,000 max, 12 Station Turret, Fanuc 21-T Control, Turbo Chip Conveyor, Serial #LC-972 & #LC-973

CNC TURRET PUNCHES

1999 – 22 Ton Wiedemann Centrum 2500, 22 Stations, Punching thickness .250" max, Sheet size With Reposition 49" x 98.5", Hits/minute on 1" moves 200 HPM, Nibbling Hit Rate 400 HPM, Throat depth 51", Fanuc O-P CNC Control, Hydraulic clutch & brake, Serial #P44356 461

1999 – 22 Ton Wiedemann C-2000-I, 22 Stations, Punching thickness .250" max, Sheet size With Reposition 40" x 98.5", Table travels: X-50.8", Y-40.95", Hits/minute on 1" moves 300 HPM, Nibbling Hit Rate 500 HPM cont, Max hole diameter 3.5", Throat depth 41.3", Hydraulic clutch & brake, Serial #2600

22 Ton Wiedemann Centrum 2000/Q, 22 Stations, Punching thickness .250" max, Sheet size With Reposition 39.4" x 98.5", Hits/minute on 1" moves 200 HPM, Nibbling Rate 490 HPM cont, GE Fanuc O-P CNC Control, Throat depth 41.3", Hydraulic clutch & brake, Serial #2526

CNC VERTICAL MACHINING CENTERS

1997 – Haas MDL. VF-2, Table 14" x 36", Travels: X-30", Y-16", Z-20", 20 Position Auto Tool Changer, Spindle nose to table 4"–24" max, RPM 7,500 max, Coolant, Serial #12136

(2) 1995 – Haas MDL. VF-1, Table 14" x 26", Travels: X-20", Y-16", Z-20", 20 Position Auto Tool Changer, Spindle nose to table 4"–24" max, RPM 7,500 max, Coolant, Serial #6110 & #6111

Cincinnati Milacron, MDL. 10VC-1250, Table 26" x 54", 32 Position Tool Changer, Cincinnati Acramatic 900 Control, Control Serial #51-S900P15J-0174, Machine Serial #9507B0383-0109

FIVE STAGE POWER COAT PAINT SYSTEM, MECHANICAL PRESS BRAKE



< Complete Line Five Stage Powder Paint System



225 Ton Cincinnati Press Brake



60 Ton Bliss Open Back Inclinable Press

FIVE STAGE POWDER COAT PAINT SYSTEM

2001 – Complete Line: Metal Finishing Four Stage 304 SS Washer, Length 60' (Prewash, Cleaning, Rinse, Phosphate, Rinse), Parts Capacity: 30" Wide x 48" High x 65" Long, Conveyor – approx. 1,300' of linear conveyor With 3" "I" Beam, Multi-Pass Conveyorized Combination Oven (Dry-Off & Cure) – Length 54', Part opening 36" Wide x 60" High, Hook Burn Off Oven – Inside dimensions: Length 60" x Width 42" x Height 50", Wagner Booth, Eight (8) Automatic Guns, EGP 2007 Control, Electrostatic/Powder Coating, Standard & High Temperature Powder Coating, Wagner Serial #s 365, 9714, 10224, 10584, 10976, & 10979

Wet Spray Paint Booth

Controlled Pyrolysis Cleaning Furnace, MDL. PTR 714682, Natural Gas – 350,000 BTU

MECHANICAL PRESS BRAKE

225 Ton Cincinnati, Series 9, Overall Bed & Ram 12', Distance between housings 10' 6", Stroke 3", Twin end drive, Cincinnati Auto Cycle, Serial #35534

LARGE QUANTITY OF PRESS BRAKE TOOLING IN VARIOUS LENGTHS

LEASE/FINANCING AVAILABLE DIRECT FROM BIDTUP Capital Corporation — (818) 508-7034

Can't make it to the auction in person? Bid live online at

www.BIDTUP.com

POWER SQUARING SHEARS, GAP FRAME & OPEN BACK INCLINABLE PRESSES, TUBE BENDER, PLATE BENDING ROLL, FABRICATOR, ROLLFORMERS, HYDRAULIC PRESSES



12' x 1/4" Cincinnati Squaring Shear

POWER SQUARING SHEARS

12' Cincinnati, MDL. 1812, Capacity 12' x 1/4", Front operated power back gauge, Hold downs, Counterbalances, Squaring arm, Front stock supports, Throat 18", Serial #34796

12' Cincinnati, MDL. 1012, Capacity 12' x 10 Gauge, Rear operated back gauge 36", Hold downs, Counterbalances, Squaring arm 6', Throat 7", Serial #22861

GAP FRAME & OPEN BACK INCLINABLE PRESSES

(2) 1988 & 1985 - 165 Ton Komatsu, MDL. OBS-150-3 & OBS-150-2, Stroke 7.87", Strokes per minute 27-55 variable, Bed 31.5" x 49.21", Shut height 17.72" to bolster, Adjustment 3.94" motorized, Light curtains, Pneumatic wet clutch & brake, Serial #11021 & #10735



(3) 1988 - 88 Ton Komatsu Gap Frame Presses



Not Actual Photo

165 Ton Komatsu Gap Frame Press



36" x 16 Gauge Pexto Plate Bending Roll

(3) 1988 - 88 Ton Komatsu, MDL. OBS-80-3, Stroke 7.09", Strokes per minute 37-75 variable, Bed 23.62" x 39.37", Shut height 13.19" to bolster, Adjustment 3.15" motorized, Light curtains, Pneumatic wet clutch & brake, Serial #12472, #12473 & #12475

60 Ton Bliss, MDL. C-60, Stroke 4", Bed 22" x 32", Strokes per minute 100, Shut height 14 1/4", Slide adjustment 3", Flywheel press, Air clutch & brake, Serial #H-51242

40 Ton Bliss, MDL. 2S, Stroke 3", Bed 19" x 27", Rolling key clutch, Serial #H-34334

TUBE BENDER

2001 - Bentec BT210 Hydraulic Tube Bender, MDL. BT210, Programmable Control, Capacity 1" Diameter, Bend 0-200 degree, Clamp & Bend Control, Serial #1420

PLATE BENDING ROLL

36" Pexto Plate Bending Roll, MDL. 416-E, Capacity 36" x 16 Gauge, Power adjustment forming roll, Roll diameter 3", Initial pinch type, Full length longitudinal grooves, Serial #9753

FABRICATOR

30 Ton Strippit Fabricator, MDL. Super 30/30, Table 42" x 72", Machine #882, Serial #88221668

ROLLFORMERS

8 Stand Yoder, MDL. M2, Spindle diameter 2" Rollspace 13", Horizontal centers 15", Vertical centers 4"-7", 20 HP Vari speed drive & controls, Accurate Roll Rebuild Job #AR9300 12T

12 Stand Yoder, MDL. M1 1/2, Spindle diameter 1 1/2", Rollspace 8", Horizontal centers 11", Vertical centers 4 1/2"-7", Variable Speed drive & controls, Serial #37215/43568-3

HYDRAULIC PRESSES

10 Ton HPM Gap Frame Hydraulic Press, MDL. 810AA4, Serial #62-251

5 Ton Hannifin, MDL. OG-F5B-5-2-1-PB7X, Serial #T1567



Bentec BT210 Tube Bender



8-Stand Yoder M-2 Rollformer

TO SCHEDULE AN AUCTION OR APPRAISAL, CALL (818) 508-7034

CUTOFF SAWS, ENGINE LATHES, SURFACE GRINDERS/CENTERLESS GRINDER/TOOL & CUTTER GRINDERS, SCREW MACHINES, TOOL ROOM, WELDING, ROLLING STOCK



150 KVA
Taylor Winfield
Spot Welder



Amada Horizontal Automatic Cutting Saw



5,000# Daewoo Lift Truck



6,000# Daewoo Lift Truck

CUTOFF SAWS

2000 – Amada Horizontal Automatic Cutting Band Saw, MDL. HA 250W, Capacity: Round 10" diameter, Rectangular 10" x 11.8", Feed Conveyor, Serial #25750049

WF Wells Horizontal Cutting Band Saw, MDL. R15, Capacity: Round 15" diameter, Rectangular 15" x 24", Serial #R786 A1111

ENGINE LATHES

LeBlond Regal Engine Lathe, Servo Shift, Swing 17", Center distance 54", Inches/Metric, Thru hole 2.25" diameter, 10" 3 Jaw Chuck, Spindle speeds 45–1,800 RPM, Threading 2–112 TPI, Cross slide, Tailstock, Serial #11C-1117X-2375

Cincinnati Hydrashift Engine Lathe, MDL. 18, Swing 21", Center distance 60", Thru hole 1.75" diameter, Threading 1.5–92 TPI, Cross slide, Tailstock

Cincinnati Hydrashift Engine Lathe, MDL. 21 1/2, Swing 26", Center distance 72", Thru hole 2.25" diameter, Cross slide, Tailstock

Jones & Lamson Turret Lathe, 12" 3 Jaw Chuck, Spindle speeds 30–1,500, Serial #202300

SURFACE GRINDERS/ CENTERLESS GRINDER/ TOOL & CUTTER GRINDERS

Landis 6" x 18" Grinder, MDL. 618, Serial #137-9

DoAll Surface Grinder, MDL. D8, Chuck 8" x 24", Serial #38-62810

Reid Surface Grinder, MDL. 618 HR, Chuck 6" x 18", Serial #21437

Worcester Drill Grinder, Serial #11383

(2) **KO Lee Tool & Cutter Grinder**, Serial #10178-1166

Cincinnati Tool & Cutter Grinder, Serial #5046

Blanchard Grinder

Cincinnati Centerless Grinder, Serial #2M8H5R-110

SCREW MACHINES

3 1/2" **Acme-Gridley**, Six Spindle

2 5/8" **Acme-Gridley**, MDL. RB6, Six Spindle, Serial #84698-A

1 1/4" **National Acme**, MDL. RA-6, Six Spindle, Serial #71392-B

1" **New Britain-Gridley**, Six Spindle

9/16" **Acme-Gridley**, MDL. RA-6, Six Spindle, Serial #22489

1/2" **Brown & Sharpe**, Single Spindle

Warner & Swasey, MDL. 2 AC Chucker, Serial #R2414216

(2) **Brown & Sharpe Single Spindle**, MDL. 2G, Capacity 1.5", High speed

(2) **Brown & Sharpe Single Spindle**, MDL. 0G, Capacity 9/16"

TOOL ROOM

Bridgeport Vertical Mill, Table 9" x 42", Two Axis DRO, Serial #BR12 57652

Carlton 6' x 17" Radial Arm Drill, Box table 20" x 22", Spindle speeds 4–1,500, Threading 4–125 TPI, Serial #777

(2) **Sweco Vibratory Finishers**

K&T Horizontal Mill, MDL. 2H Plain, Serial #44-6157

Milwaukee Horizontal Mill

Cincinnati Vertical Mill, MDL. Cinel 60, Serial #205-12

Jet Mill & Drill, MDL. JMD-15, Stock #350017, Serial #9-181467

Baldor Grinders

Bullard Vertical Turret Lathe, Cut Master, Capacity 36", 6.57–2,400 RPM,

Moline Gang Drill, MDL. HD-68W, 12 Head Line, Serial #674191

Fitchburg Double Head Mill

Fitchburg Planer Mill, 2 Head With 2 Side Heads, Between housings 46"

(3) **Famco Arbor Presses**

Grinding Wheels; Saw Blades

Beuhler Polisher; Beuhler 2 Roll Grinder

Leland Gifford 4-Head Drill; Single Spindle Drills; (2) Delta Drill Press, Walker Turner Drill Press; Cincinnati Bickford Drill

Ridgid Series 300 Pipe Threader; Ridgid Speed Chuck

Arbor Press

Work Tables

Signode Strappers

Wright Self Dumping Hoppers, 1 Yard & 1.5 Yard, MDL. 20077

Steel Stackable Totes

Belt Sanders

Kurt Vises, 6"

Marsh Stencil Machine

WELDING

150 KVA Taylor-Winfield Spot Welder, MDL. ERC-24-150 Air, Machine #67220, Throat 24"

150 KVA Lora Spot Welder, MDL. 150AP, EN2000 Control, Throat 27", Serial #187-3740

Miller CP-300 Welder, Stock #902931, Serial #JG122870

Miller 300 Amp Welder, 300 AC/DC CCCV, Stock #903126, Serial #KH423730 With Miller S-22A Wire Feed

(2) **Miller Shopmaster 300 With Miller S-22A Wire Feed**

(2) **Miller Syncrowave 250**

(2) **Miller Millermatic 250**

Miller Deltaweld 302 With Wire Feed

Millermatic 130 Welder

Esab Handy Plasma 550 Cutter, MDL. EN 60974-1, Serial #PPOR 248060

Burn Table 60" x 72"

ROLLING STOCK

2001 – Daewoo Lift Truck, MDL. G30E-3, Capacity 6,000#, LPG, Lift height 173", Serial #CX-03563

(2) **2001 – Daewoo Lift Truck**, MDL. G25E-3, Capacity 5,000#, LPG, Lift height 173", Serial #CX-03411 & #CX-03412

Hyster Pallet Lift, MDL. E30XL, Capacity 3,350#, Electric Battery, Lift 130", Serial #C114V07313R

Hyster Walkie Pallet Lift, MDL. B40XL, Capacity 4,000#, Electric Battery, Serial #D135H02340W

Clark Pallet Lift, MDL. NPR20, Type E, Capacity 3,900#, Lift 240", Serial #55461

Crown Pallet Lift, MDL. 25SPC, Electric Battery, Capacity 2,500#, Lift 12'6", Serial #W-3504

Yale Walkie Pallet Lift, MDL. MC020D07, Type E, Capacity 2,000#, Electric Battery, Serial #S281187

Mac 24 Volt Battery Charger

Can't make it to the auction in person? Bid live online at

www.BIDTUP.com

TRANSFORMERS, INSPECTION, COMPRESSORS, PALLET RACKING, TOOLING, VEHICLES, (20) SEWING MACHINES, MISCELLANEOUS, OFFICE EQUIPMENT



2003
Mitutoyo CV-3000
Contracer



Zeks Air Dryer
& Air Receiver Tank



Partial View Tooling



1999
OGP 30"
Optical Comparator



100 HP Ingersoll-Rand
Air Compressor



Sewing Machine



Oldsmobile Aurora



Canon Copier



Sewing Machine



Mack Truck

(20) TRANSFORMERS

Acme, Style G, 225 KVA, Catalog T-2-53317-35

Sorgel, 150 KVA, Catalog 150T6H, Serial #129927-1

MGM, 75 KVA, Dry Type, Catalog #HT75A3B2SH, Serial #9704-754-127-5

INSPECTION

1998 - Sheffield Cordax Coordinate Measuring Machine, MDL. 1808 MEA, Granite plate 26" x 54" x 8" thick, Renishaw Probe, G&L 3-Axis DRO, PC

1999 - OGP Optical Comparator, Screen 30" diameter, Opticom Qualifier 30, X/Y Quadra-Chek 2000, Serial #300155

2003 - Mitutoyo Contracer, MDL. CV3000 H4, X, Y, & Z Handheld Control, Measuring Range: X-4" max, Z-2" max, Serial #300106

Granite Plate 48" x 72" x 12"; Herman Stone Granite Plate 30" x 36" x 6"; Herman Stone 24" x 36" x 6"

Mitsubishi Borematic

Dial Indicators; Gauge Blocks; Micrometer Sets; Thread Plug Gauges; Radius Plug Gauges; Height Gauges; Y Plate Gauges; T-Plate Gauges; Mitutoyo Calipers; Digital Height Gauges

Wilson Hardness Testers

COMPRESSORS

Ingersoll Rand 100 HP Air Compressor, MDL. SSR EP100, Intellisys Control, 446 CFM, Rated pressure 125 PSIG, Serial #F16246U96081

Quincy 100 HP Air Compressor, MDL. QS1-490-A, Serial #255112-0-6744

Zeks Dryer, NC Series, MDL. 700NCDA400, Serial #137985-N M199

1998 - Manchester Air Receiver Tank, 240 Gallon, Catalog 3249, Nat'l BD 539796

PALLET RACKING

(9 Sections) Steel King Industries 52" Deep x 10' Wide x 10' Tall

(19 Sections) 24" Deep x 100" Wide x 10' Tall

(100 Sections) 42" Deep x 135" Wide x 12' Tall

(33 Sections) 27" Deep x 100" Wide x 12' Tall

LODGING

Quality Inn
1403 N. Horner Blvd.
Sanford, NC
(919) 774-6411

Holiday Inn Express Hotel
2110 Dalrymple St.
Sanford, NC
(919) 774-9924

Hampton Inn
1904 S. Horner Blvd.
Sanford, NC
(919) 775-2000

DIRECTIONS

From Raleigh Durham International Airport (RDU), take I-40 east towards Raleigh. Travel 8 miles on I-40 east to US 1 South (Exit #293 - Sanford). Travel south on US 1 for 32 miles to McNeill Road Exit. Turn right onto McNeill Road and travel 1.3 miles to plant entrance on the right. (Entrance is 1/8 mile before Hwy. 421).

INSPECTION

TOOLING

ID Tool Holders; Set-Up Chuck Rings; Collets; Bar Pullers; Collet Pads; Soft Jaw Chucks

VEHICLES

Oldsmobile Aurora 4-Door Sedan, Leather Interior, Miles 125,102, VIN 1G3GR62C9W4118824

Mack Truck, Miles 236,754, VIN VG6M111A5LB030773, Box Trailer 24' Long, Lift Gate 2,500# Capacity

1999 - Haulmaster Trailer, Weight capacity 2990#, Length 10' 5", VIN 4XSCB1012YG021122

MISCELLANEOUS

(40) Jarko Mini Module Bar Stock Stands, Weight Capacity 7,500

(40) Rotary & Square Industrial Fans, Diameter 34" & 36"

National Rivet & Mfg. Riveter, MDL. 500, Serial #396

Hammond Duskolector

Caldwell 2 Ton Strong Bac

1/2 Ton Harrington Hoist

Barrett Centrifugal Chip Slinger, Serial #1100413-E/1252206-F

3 Ton American Monorail Bridge Crane, Coffing Hoist, Span 35'

Toledo Shop Scale, capacity 1,000#

Stanley Vidmar Cabinets

Lennox 15 Ton Cooling System, MDL. CB17-185v-1, Serial #560DA-06435

(32) Roller Conveyor, Straight & Curved Sections, 36" wide x 10' long

(3) Crown Pallet Lifts

(20) SEWING MACHINES

Singer; Nakajima; Rimoid; 4" Tuftmaster; 4" Adler; Consew; 1" Jado; 2" Jado; 3" Jado

Grommet Machine; Webbing Cutter; Hiker Belt Cutter; Bosch Cutter

OFFICE EQUIPMENT

Canon Copiers; Filing Cabinets; Printers; Wood & Metal Desks; Bookcases; Overhead Projector; Computers; Laptops; Fax Machines; Chairs

**LIVE
ON-SITE &
WEBCAST**

MACHINERY AUCTION
SEPTEMBER 26, 2007

Bankruptcy Case #07-80352

AMERICAN PERFORMANCE INDUSTRIES, INC.

LARGE CAPACITY MACHINING & FABRICATING FACILITY
REAL ESTATE TO BE AUCTIONED AT 12:00 P.M. — 196,032 SQ. FT. ON 12.7 ACRES

AUCTION

Wednesday, September 26, 2007
Beginning at 10:00 A.M. EDT

PREVIEW

Tuesday, September 25, 2007
9:00 A.M. to 4:00 P.M. EDT

LOCATION

109 McNeill Road
Sanford, North Carolina 27330
See page 7 for directions and lodging

FOR THE COMPLETE TERMS & CONDITIONS OF THIS AUCTION

Please visit our website — www.BIDITUP.com and click on AMERICAN PERFORMANCE

NOW OFFERING IN-HOUSE FINANCING & LEASING. Call 818.508.7034

FEATURED AUCTION

Wednesday, September 26, 2007
Sanford, North Carolina

**AMERICAN
PERFORMANCE
INDUSTRIES, INC.**



1995 – 88 Ton Amada
CNC Press Brake



2001 – 71 Ton Hurco/Mebusa
CNC Press Brakes



22 Ton Wiedemann Centrum
2500 CNC Turret Punch



1999 – Daewoo Puma 250B
CNC Turning Center

11426 Ventura Boulevard
Studio City, California 91604
Phone: 818.508.7034
Fax: 818.508.3025
info@biditup.com
NC Auctioneer, Steven R. Mattes #5568

MACHINERY AUCTION, LOOK INSIDE!

**ATTENTION: PLANT MANAGER
OR EQUIPMENT BUYER**

Presorted
First Class Mail
U.S. Postage
PAID
Eugene, Oregon
Permit No. 305

For a Complete Listing of Upcoming Auctions
Visit www.BIDITUP.com. Register Online and Receive
Auction Updates & Information via E-mail.



WEBCAST

Can't attend the auction in person? You can participate and bid in real time via the Internet. Preview assets with detailed digital photos, lot catalogs, and in-depth descriptions.

For more information, visit
www.BIDITUP.com

Please note, all webcast participants must submit a 25% deposit and signed registration forms no later than 24 hours before a sale.